# Sheboygan County Health Data Report



A summary of secondary data sources



Prepared by:

#### **Center for Urban Population Health**

1020 N. 12<sup>th</sup> Street, Suite 4180 Milwaukee, WI 53233 414.219.5100 www.cuph.org



This report was prepared by Carrie Stehman, MA and David Frazer, MPH from the Center for Urban Population Health, a partnership of Aurora Health Care/Aurora Research Institute, LLC, the University of Wisconsin-Milwaukee, and the University of Wisconsin School of Medicine and Public Health. If there are any questions, please feel free to contact the Center for Urban Population Health at 414.219.5100.

The funding to prepare this report comes from Aurora Health Care, HSHS St. Nicholas Hospital, Lakeshore Community Health Care, Sheboygan County Health and Human Services- Division of Public Health, and United Way of Sheboygan County.

# **Table of Contents**

| Total Population  | 1  |
|---|----|
| Demographics  | 2  |
| Population Change in Race and Ethnicity                           | 3  |
| Population Change in Age  | 4  |
| Poverty   | 5  |
| All Births  | 6  |
| Percent Births Receiving First Trimester Prenatal Care            | 7  |
| Percent Births Receiving Late or No Prenatal Care                 | 8  |
| Tobacco Use During Pregnancy                                      | 9  |
| Low Birth Weight  | 10 |
| Infant Mortality  | 11 |
| Premature Births  | 12 |
| Birth Rate Ages 15-19   | 13 |
| Birth Rate Ages 15-17   | 14 |
| Number of Deaths and Mortality Rate                               | 15 |
| Years of Potential Life Lost (YPLL)                               | 16 |
| Age-Adjusted Mortality Rate                                       | 17 |
| Average Age at Death  | 18 |
| Number and Rate of Injury Deaths                                  | 19 |
| Number and Rate of Suicides                                       | 20 |
| Number and Rate of Injury Hospitalizations                        | 21 |
| Number and Rate of Opioid-Related Hospital Encounters             | 22 |
| Age-Adjusted Rate of Opioid-Related Hospital Encounters           | 23 |
| Number and Rate of Opioid Deaths                                  | 24 |
| Age-Adjusted Opioid Mortality Rate                                | 25 |
| Number and Rate of ED Visits for Injury                           | 26 |
| Ranked Causes of ED Visit for Injury- Count                       | 27 |
| Sex Offense Rates   | 28 |
| Child Abuse   | 29 |
| Sexually Transmitted Diseases                                     | 30 |
| HIV Incidence   | 31 |
| Cancer Incidence  | 32 |
| Cancer Incidence and Mortality Rates by Site                      | 33 |
| Cerebrovascular Disease Deaths                                    | 34 |
| Health Behaviors from Behavioral Risk Factors Surveillance Survey | 35 |
| Sheboygan County Health Rankings                                  | 36 |

#### Notes:

In 2020, the Center for Urban Population Health was enlisted to create a report detailing the health of Sheboygan County using secondary data. This health data report is one piece of a variety of data sources being used by local health systems to describe their communities and the health priorities of their service areas. Indicators for which primary data are being collected were excluded from this report. In addition, rather than repurposing data from the comprehensive county rankings report created by the University of Wisconsin Population Health Institute (2020), the county level data from the rankings report is included in its entirety at the end of this report.

All of the data used in this report come from publicly available data sources. Data for each indicator were presented by race and ethnicity and gender when the data were available. Race data categorized as 'unknown' or 'missing' were rarely included in this report. Therefore, not all races are represented in the data that follow.

In some cases data were not presented by the system from which they were pulled due to their internal confidentiality policies which specify that data will not be released when the number is less than five. In other cases, data were available but the rates or percentages are not presented in this report. This is due to the indicator having small numbers in the numerator or denominator resulting in rates or percentages that were subject to large year to year fluctuations and, as such, would not have provided a meaningful representation of the data for the population subset.

When applicable, Healthy People 2020 objectives are provided for each indicator. These objectives were not included unless the indicator directly matched with a Healthy People 2020 objective.

University of Wisconsin Population Health Institute. *County Health Rankings* 2020. Accessible at <u>www.countyhealthrankings.org</u>.

| Total Population - Sheboygan County                 |         |            |           |  |  |  |
|---|---------|------------|-----------|--|--|--|
|   | 20      | State 2018 |           |  |  |  |
| Total Population                                    | 115     | ,205       | 5,813,568 |  |  |  |
| Total Population- Race alone or in combination with |         |            |           |  |  |  |
| one or more other races                             | Ν       | %          |           |  |  |  |
| White   | 105,160 | 91.3%      | 87.6%     |  |  |  |
| Black or African American                           | 3,121   | 2.7%       | 7.6%      |  |  |  |
| Asian   | 6,884   | 6.0%       | 3.5%      |  |  |  |
| American Indian and Alaska Native                   | 1,066   | 0.9%       | 1.6%      |  |  |  |
| Native Hawaiian and Other Pacific Islander          | 66      | 0.1%       | 0.1%      |  |  |  |
| Some Other Race                                     | 1,413   | 1.2%       | 2.4%      |  |  |  |
| Hispanic or Latino (of any race)                    | 7,168   | 6.2%       | 6.9%      |  |  |  |
| Total Population                                    |         |            |           |  |  |  |
| Male  | 57,922  | 50.3%      | 49.7%     |  |  |  |
| Female  | 57,283  | 49.7%      | 50.3%     |  |  |  |
| Total Population                                    |         |            |           |  |  |  |
| 0-14  | 21,168  | 18.4%      | 18.0%     |  |  |  |
| 15-44   | 41,526  | 36.0%      | 38.2%     |  |  |  |
| 45-64   | 32,952  | 28.6%      | 26.9%     |  |  |  |
| 65+   | 19,559  | 17.0%      | 16.9%     |  |  |  |
|   | -       | -          | -         |  |  |  |

US Census Bureau (2018). American Community Survey 5-Year Estimates. Data accessed from https://data.census.gov, table DP05 on May 23, 2020.

| Demog  | graphics - Sheboygan County                     |          |            |
|--------|---|----------|------------|
|        |   | 2018     | State 2018 |
| Educat | ion level of adults 25 years or older           |          |            |
|        | Less than high school degree                    | 7.3%     | 8.1%       |
|        | High school graduate                            | 36.3%    | 30.9%      |
|        | Some college/Associate's degree                 | 32.5%    | 31.4%      |
|        | Bachelor's degree or higher                     | 23.9%    | 29.5%      |
| Percen | t of those ages 16 or older who are unemployed  | l        |            |
|        | Unemployment rate                               | 2.4%     | 2.7%       |
| Mediar | n HH Income (2018 dollars)                      |          |            |
|        | Median Income                                   | \$58,943 | \$59,209   |
| Percen | t of all people below poverty in last 12 months |          |            |
|        | Percent below poverty                           | 7.6%     | 11.9%      |
| Langua | ge spoken at home                               |          |            |
|        | English   | 90.3%    | 91.3%      |
|        | Spanish   | 3.5%     | 4.6%       |
|        | Other Indo-European Languages                   | 1.5%     | 1.9%       |
|        | Asian and Pacific Islander Languages            | 4.6%     | 1.8%       |
|        | Other Languages                                 | 0.2%     | 0.4%       |
| Housin | g Tenure  |          |            |
|        | Owner Occupied                                  | 70.2%    | 66.9%      |
|        | Renter Occupied                                 | 29.8%    | 33.1%      |

US Census Bureau (2018). American Community Survey 5-Year Estimates. Accessed at: https://data.census.gov, tables DP02, DP03, and DP04 on May 23, 2020.

| Population Change in Race and Ethnicity - Sheboygan County |             |            |         |            |                     |         |  |  |  |
|--|-------------|------------|---------|------------|---------------------|---------|--|--|--|
|  | 2000 Census |            | 2010 C  | ensus      | 2000 to 2010 Change |         |  |  |  |
|  | Number      | % of Total | Number  | % of Total | Number              | Percent |  |  |  |
| Total Population   | 112,646     | 100.0%     | 115,507 | 100.0%     | 2,861               | 0.0%    |  |  |  |
| Hispanic or Latino   | 3,789       | 3.4%       | 6,329   | 5.5%       | 2,540               | 2.1%    |  |  |  |
| Not Hispanic or Latino                                     | 108,857     | 96.6%      | 109,178 | 94.5%      | 321                 | -2.1%   |  |  |  |
| White Alone  | 104,438     | 92.7%      | 103,861 | 89.9%      | -577                | -2.8%   |  |  |  |
| Black Alone  | 1,224       | 1.1%       | 1,684   | 1.5%       | 460                 | 0.4%    |  |  |  |
| American Indian Alone                                      | 409         | 0.4%       | 444     | 0.4%       | 35                  | 0.0%    |  |  |  |
| Asian Alone  | 3,698       | 3.3%       | 5,310   | 4.6%       | 1,612               | 1.3%    |  |  |  |
| Native Hawaiian or Other                                   |             |            |         |            |                     |         |  |  |  |
| Pacific Islander   | 28          | <0.1%      | 35      | <0.1%      | 7                   | 0.0%    |  |  |  |
| Some Other Race Alone                                      | 1,642       | 1.5%       | 2,297   | 2.0%       | 655                 | 0.5%    |  |  |  |
| Two or More Races  | 1,207       | 1.1%       | 1,876   | 1.6%       | 669                 | 0.5%    |  |  |  |

U.S. Census Bureau. Census 2000 Summary File 1 and 2010 Summary File 1 accessed from factfinder.census.gov on March 23, 2020.

| Population Change in Age - Sheboygan County |             |            |         |            |            |           |  |  |
|---|-------------|------------|---------|------------|------------|-----------|--|--|
|   | 2000 Census |            | 2010 C  | ensus      | 2000 to 20 | 10 Change |  |  |
|   | Number      | % of Total | Number  | % of Total | Number     | Percent   |  |  |
| Total Population                            | 112,646     | 100.0%     | 115,507 | 100.0%     | 2,861      | 0.0%      |  |  |
| 0 to 4                                      | 7,213       | 6.4%       | 7,156   | 6.2%       | -57        | -0.2%     |  |  |
| 5 to 9                                      | 7,881       | 7.0%       | 7,521   | 6.5%       | -360       | -0.5%     |  |  |
| 10 to 14                                    | 8,427       | 7.5%       | 7,956   | 6.9%       | -471       | -0.6%     |  |  |
| 15 to 19                                    | 8,310       | 7.4%       | 7,643   | 6.6%       | -667       | -0.8%     |  |  |
| 20 to 24                                    | 6,425       | 5.7%       | 6,198   | 5.4%       | -227       | -0.3%     |  |  |
| 25 to 34                                    | 14,676      | 13.0%      | 13,864  | 12.0%      | -812       | -1.0%     |  |  |
| 35 to 44                                    | 18,905      | 16.8%      | 15,056  | 13.0%      | -3,849     | -3.8%     |  |  |
| 45 to 54                                    | 15,456      | 13.7%      | 18,605  | 16.1%      | 3,149      | 2.4%      |  |  |
| 55 to 59                                    | 5,309       | 4.7%       | 8,183   | 7.1%       | 2,874      | 2.4%      |  |  |
| 60 to 64                                    | 4,312       | 3.8%       | 6,504   | 5.6%       | 2,192      | 1.8%      |  |  |
| 65 to 74                                    | 7,594       | 6.7%       | 8,426   | 7.3%       | 832        | 0.6%      |  |  |
| 75 to 84                                    | 5,840       | 5.2%       | 5,657   | 4.9%       | -183       | -0.3%     |  |  |
| 85+   | 2,298       | 2.0%       | 2,738   | 2.4%       | 440        | 0.4%      |  |  |

U.S. Census Bureau. Census 2000 Summary File 1 and 2010 Summary File 1 accessed from factfinder.census.gov on March 23, 2020.

| Poverty Status in the Past 12 Months- Sheboygan County |      |            |  |  |
|--|------|------------|--|--|
|  | 2018 | State 2018 |  |  |
| Percent of all ages in poverty                         | 6.6% | 11.0%      |  |  |
|  |      |            |  |  |

Data Accessed from American Community Survey (2018). American Community Survey 1-Year Estimates accessed from data.census.gov on March 23, 2020.

| Total Births - Sheboygan County          |       |       |       |        |           |  |  |
|--|-------|-------|-------|--------|-----------|--|--|
|  |       |       |       |        | Healthy   |  |  |
|  |       |       |       | State  | People    |  |  |
|  | 2016  | 2017  | 2018  | 2018   | 2020 goal |  |  |
| Total Births                             | 1,257 | 1,204 | 1,270 | 64,143 |           |  |  |
| Total Births by Race/Ethnicity of Mother |       |       |       |        |           |  |  |
| White (Non-Hispanic)                     | 948   | 879   | 968   | 45,656 |           |  |  |
| Black/African American (Non-Hispanic)    | 33    | 30    | 35    | 6,508  |           |  |  |
| American Indian/Alaska Native (Non-      |       |       |       |        |           |  |  |
| Hispanic)                                |       | 5     |       | 676    |           |  |  |
| Hispanic                                 | 111   | 130   | 108   | 6,363  |           |  |  |
| Laotian or Hmong (Non-Hispanic)          | 124   | 110   | 100   | 1,398  |           |  |  |
| Other (Non-Hispanic)                     | 21    | 25    | 34    | 1,930  |           |  |  |
| Two or More Races (Non-Hispanic)         | 17    | 25    | 20    | 1,417  |           |  |  |
| Total Births by Education of Mother      |       |       |       |        |           |  |  |
| Some High School or Less                 | 84    | 102   | 93    | 6,586  |           |  |  |
| High School Graduate/GED                 | 403   | 364   | 397   | 16,036 |           |  |  |
| Some College                             | 394   | 354   | 376   | 18,369 |           |  |  |
| College Graduate                         | 267   | 268   | 282   | 15,718 |           |  |  |
| Post Graduate                            | 100   | 106   | 107   | 7,049  |           |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Birth Counts Module, https://www.dhs.wisconsin.gov/wish/birth/form.htm, accessed May 23, 2020.

| Percent Births to Those Receiving First Trimester Care - Sheboygan County    |       |       |       |            |         |  |  |
|--|-------|-------|-------|------------|---------|--|--|
|  |       |       |       |            | HP 2020 |  |  |
|  | 2016  | 2017  | 2018  | State 2018 | goal    |  |  |
| Total Births   | 1,257 | 1,204 | 1,270 | 64,143     |         |  |  |
| Percent 1st trimester care   | 82.5% | 79.3% | 82.2% | 76.0%      | 77.9%   |  |  |
| Percent of Mothers Receiving First Trimester Prenatal Care by Race/Ethnicity |       |       |       |            |         |  |  |
| White (Non-Hispanic)   | 85.7% | 83.2% | 84.5% | 81.0%      |         |  |  |
| Black/African American (Non-Hispanic)  | 57.6% | 53.3% | 71.4% | 60.6%      |         |  |  |
| American Indian/Alaska Native (Non-  |       |       |       |            |         |  |  |
| Hispanic)  |       | 60.0% |       | 55.5%      |         |  |  |
| Hispanic   | 78.4% | 73.8% | 81.5% | 64.2%      |         |  |  |
| Laotian or Hmong (Non-Hispanic)  | 66.9% | 62.7% | 68.0% | 61.5%      |         |  |  |
| Other (Non-Hispanic)   | 90.5% | 84.0% | 76.5% | 71.0%      |         |  |  |
| Two or more Races (Non-Hispanic)   | 88.2% | 76.0% | 75.0% | 69.1%      |         |  |  |
|  |       |       |       |            |         |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Prenatal Care Module, https://www.dhs.wisconsin.gov/wish/prenatal-care/form.htm, accessed May 23, 2020.

| Percent Late (started in third trimester) or No Prenatal Care- Sheboygan County |       |       |       |            |             |  |  |  |  |
|---|-------|-------|-------|------------|-------------|--|--|--|--|
|   |       |       |       |            | Healthy     |  |  |  |  |
|   |       |       |       |            | People 2020 |  |  |  |  |
|   | 2016  | 2017  | 2018  | State 2018 | goal        |  |  |  |  |
| Total Births  | 1,257 | 1,204 | 1,270 | 64,143     |             |  |  |  |  |
| Percent late or no prenatal care  | 2.3%  | 3.2%  | 3.3%  | 4.6%       |             |  |  |  |  |
| Percent of Mothers Receiving Late or No Prenatal Care by Race/Ethnicity         |       |       |       |            |             |  |  |  |  |
| White (Non-Hispanic)  | 1.9%  | 3.6%  | 2.6%  | 3.6%       |             |  |  |  |  |
| Black/African American (Non-Hispanic)   | 6.1%  | 3.3%  | 5.7%  | 8.4%       |             |  |  |  |  |
| American Indian/Alaska Native (Non-   |       |       |       |            |             |  |  |  |  |
| Hispanic)   |       |       |       | 12.0%      |             |  |  |  |  |
| Hispanic  | 5.4%  | 2.3%  | 3.7%  | 6.5%       |             |  |  |  |  |
| Laotian or Hmong (Non-Hispanic)   | 1.6%  | 1.8%  | 4.0%  | 4.8%       |             |  |  |  |  |
| Other (Non-Hispanic)  |       | 4.0%  | 11.8% | 5.1%       |             |  |  |  |  |
| Two or more Races (Non-Hispanic)  | 5.9%  |       | 10.0% | 6.1%       |             |  |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, http://dhs.wisconsin.gov/wish/, Prenatal Care Module, accessed May 23, 2020.

| Y           |  |  |  |  |
|-------------|--|--|--|--|
| 2016        | 2017   | 2018   | State 2018   | Healthy<br>People<br>2020  |
|             |  |  |  | greater  |
|             |  | _,   | - , -  | than   |
|             | 11.9%  | 10.7%  | 10.1%  | 1.4%   |
|             | nicity   |  |  |  |
| 11.5%       | 13.7%  | 11.6%  | 10.5%  |  |
| 18.2%       |  |  | 11.4%  |  |
|             |  |  | 22.10/   |  |
|             | 0.00/  | 0.00/  |  |  |
|             | 9.2%   |  |  |  |
| 6.5%        |  | 6.0%   | 4.1%   |  |
|             |  |  | 1.4%   |  |
|             | 20.0%  |  | 16.9%  |  |
| by Educatio | n  |  | -  |  |
|             |  |  | 17.6%  |  |
| 18.1%       | 22.0%  | 19.9%  | 19.4%  |  |
| 10.4%       | 10.5%  | 8.2%   | 10.6%  |  |
| 1.9%        | 1.9%   |  | 1.2%   |  |
|             |  |  | 0.3%   |  |
|             | y Race/Eth<br>11.5%<br>18.2%<br>11.7%<br>6.5%<br>50 Educatio<br>18.1%<br>10.4% | 2016       2017         1,257       1,204         10.9%       11.9%         y Race/Ethnicity       11.5%         11.5%       13.7%         18.2%       11.7%         11.7%       9.2%         6.5%       20.0%         y Education       11.1%         18.1%       22.0%         10.4%       10.5% | 2016         2017         2018           1,257         1,204         1,270           10.9%         11.9%         10.7%           py Race/Ethnicity         10.7%           11.5%         13.7%         11.6%           18.2% | 2016         2017         2018         State 2018           1,257         1,204         1,270         64,143           10.9%         11.9%         10.7%         10.1% <b>Dy Race/Ethnicity</b> 11.5%         13.7%         11.6%         10.5%           18.2%         11.4%         33.1%           11.7%         9.2%         8.3%         5.7%           6.5%         6.0%         4.1%           20.0%         16.9% <b>Dy Education</b> 17.6%           18.1%         22.0%         19.9%         19.4%           10.4%         10.5%         8.2%         10.6%           1.9%         1.9%         1.2%         1.2% |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system,

https://www.dhs.wisconsin.gov/wish/birth/form.htm, Birth Counts Module, accessed May 23, 2020.

| Percent of All Births That Are Low Birthweight - Sheboygan County |            |       |       |            |                                |  |
|---|------------|-------|-------|------------|--------------------------------|--|
|   | 2016       | 2017  | 2018  | State 2018 | Healthy<br>People<br>2020 goal |  |
| Total Births  | 1,257      | 1,204 | 1,270 | 64,143     |                                |  |
| Percent low birth weight (<2,500 grams)                           | 7.4%       | 5.5%  | 7.2%  | 7.7%       | 7.8%                           |  |
| Percent of Births That Are Low Birthweight by Race                | e of Mothe | r     |       |            |                                |  |
| White (Non-Hispanic)  | 6.3%       | 5.7%  | 7.2%  | 6.4%       |                                |  |
| Black/ African American (Non-Hispanic)                            | 33.3%      | 3.3%  | 20.0% | 16.2%      |                                |  |
| American Indian/Alaska Native (Non- Hispanic)                     |            |       |       | 7.8%       |                                |  |
| Hispanic  | 8.1%       | 6.9%  | 6.5%  | 7.5%       |                                |  |
| Laotian or Hmong (Non-Hispanic)                                   | 5.6%       | 2.7%  | 4.0%  | 8.7%       |                                |  |
| Other (Non-Hispanic)  | 14.3%      | 8.0%  | 2.9%  | 8.8%       |                                |  |
| Two or More Races (Non-Hispanic)                                  | 17.6%      | 4.0%  | 15.0% | 9.1%       |                                |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Low Birthweight Module, https://www.dhs.wisconsin.gov/wish/lbw/form.htm, accessed May 23, 2020.

|   |  |   |                          | Healthy   |  |  |
|---|--|---|--------------------------|---|--|--|
| 2016  | 2017                                       | 2018  | State<br>2018            | People<br>2020<br>goal  |  |  |
| 1,257   | 1,204                                      | 1,270   | 64,143                   | 0.0   |  |  |
| 12  |  |   | 389                      |   |  |  |
|   |  |   |                          |   |  |  |
| 9.5   | 2.5  | 3.1   | 6.1                      | 6.0   |  |  |
| Infant Mortality Rate per 1,000 Live Births by Race/Ethnicity of the Mother |  |   |                          |   |  |  |
| 8.4   | 3.4  | 1.0   | 4.8                      |   |  |  |
| 30.3  |  |   | 12.8                     |   |  |  |
| 9.0<br>16.1   |  | 9.3<br>20.0   | 5.9<br>7.4<br>7.9<br>3.1 |   |  |  |
|   |  |   | 8.5                      |   |  |  |
| e,  | 12<br>9.5<br>/Ethnic<br>8.4<br>30.3<br>9.0 | 12       9.5     2.5       /Ethnicity of the       8.4     3.4       30.3       9.0 | 12                       | 12     389       9.5     2.5     3.1     6.1       /Ethnicity of the Mother       8.4     3.4     1.0     4.8       30.3     12.8       9.0     9.3     7.4       16.1     20.0     7.9       3.1     3.1 |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Infant Mortality Module, https://www.dhs.wisconsin.gov/wish/infant-mortality/form.htm, accessed May 23, 2020.

| Premature Births (<37 weeks of gestation) - Sheboygan County |             |       |       |        |             |  |  |  |  |
|--|-------------|-------|-------|--------|-------------|--|--|--|--|
|  |             |       |       |        | Healthy     |  |  |  |  |
|  |             |       |       | State  | People 2020 |  |  |  |  |
|  | 2016        | 2017  | 2018  | 2018   | goal        |  |  |  |  |
| Total Births   | 1,257       | 1,204 | 1,270 | 64,143 |             |  |  |  |  |
| Percent Premature (<37 weeks of                              |             |       |       |        |             |  |  |  |  |
| gestation)   | 9.0%        | 6.6%  | 8.3%  | 9.9%   | 11.4%       |  |  |  |  |
| Percent Premature Birth by Race/Ethnicity                    | y of Mothei | •     |       |        |             |  |  |  |  |
| White (Non-Hispanic)   | 8.4%        | 6.8%  | 8.7%  | 9.0%   |             |  |  |  |  |
| Black/ African American (Non-Hispanic)                       | 30.3%       | 3.3%  | 11.4% | 15.6%  |             |  |  |  |  |
| American Indian/ Alaska Native (Non-                         |             |       |       |        |             |  |  |  |  |
| Hispanic)  |             |       |       | 12.9%  |             |  |  |  |  |
| Hispanic   | 9.0%        | 10.0% | 7.4%  | 10.0%  |             |  |  |  |  |
| Laotian or Hmong (Non-Hispanic)                              | 5.6%        | 4.5%  | 5.0%  | 7.7%   |             |  |  |  |  |
| Other (Non-Hispanic)   | 19.0%       | 4.0%  | 5.9%  | 9.7%   |             |  |  |  |  |
| Two or More Races (Non-Hispanic)                             | 11.8%       |       | 15.0% | 11.6%  |             |  |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, http://dhs.wisconsin.gov/wish/ Low Birthweight Module, accessed May 23, 2020.

| Birth Rate for Teens Ages 15-19 - Sheboygan County |      |      |      |       |           |  |  |  |  |
|--|------|------|------|-------|-----------|--|--|--|--|
|  |      |      |      |       | Healthy   |  |  |  |  |
|  |      |      |      | State | People    |  |  |  |  |
|  | 2016 | 2017 | 2018 | 2018  | 2020 goal |  |  |  |  |
| Total Births to Teens 15-19                        | 47   | 59   | 51   | 2,431 |           |  |  |  |  |
| Birth rate per 1,000 for Teens Ages 15-19          | 13.2 | 16.9 | 15   | 13.2  |           |  |  |  |  |
|  |      |      |      |       |           |  |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Teen Births Module, http://dhs.wisconsin.gov/wish/, Teen Births - Teen Birth Rates Module, accessed May 23, 2020.

| Birth Rate for Teens Ages 15-17 - Sheboygan County |      |      |      |               |                                |  |  |  |  |  |
|--|------|------|------|---------------|--------------------------------|--|--|--|--|--|
|  | 2016 | 2017 | 2018 | State<br>2018 | Healthy<br>People 2020<br>goal |  |  |  |  |  |
| Total Births to Teens 15-17                        | 14   | 18   | 13   | 567           |                                |  |  |  |  |  |
| Birth rate per 1,000 for Teens Ages 15-17          | 6.5  | 8.5  | 6.6  | 5.2           |                                |  |  |  |  |  |
|  |      | -    |      | -             |                                |  |  |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, http://dhs.wisconsin.gov/wish/, Teen Births Module, accessed May 23, 2020.

| Number of Deaths - Sheboygan Co | lumber of Deaths - Sheboygan County |       |         |            |             |  |  |  |  |  |
|---------------------------------|-------------------------------------|-------|---------|------------|-------------|--|--|--|--|--|
|                                 |                                     |       |         |            | Healthy     |  |  |  |  |  |
|                                 |                                     |       |         |            | People 2020 |  |  |  |  |  |
|                                 | 2016                                | 2017  | 2018    | State 2018 | goal        |  |  |  |  |  |
| Total Deaths (all causes)       | 1,165                               | 1,096 | 1,151   | 53,680     |             |  |  |  |  |  |
| Mortality Rate                  | 1,011.0                             | 950.8 | 1,005.1 | 928.6      |             |  |  |  |  |  |
| Number of Deaths by Race/Ethnic | ity                                 |       |         |            |             |  |  |  |  |  |
| White                           | 1,136                               | 1,070 | 1,114   | 49,885     |             |  |  |  |  |  |
| Black                           | 10                                  | 5     | 11      | 2,868      |             |  |  |  |  |  |
| Hispanic                        | 16                                  | 20    | 15      | 906        |             |  |  |  |  |  |
| American Indian                 |                                     |       |         | 496        |             |  |  |  |  |  |
| Asian                           | 17                                  | 18    | 23      | 431        |             |  |  |  |  |  |
| Number of Deaths by Sex         |                                     |       |         |            |             |  |  |  |  |  |
| Male                            | 612                                 | 555   | 560     | 27,165     |             |  |  |  |  |  |
| Female                          | 553                                 | 541   | 591     | 26,515     |             |  |  |  |  |  |
|                                 |                                     |       |         |            |             |  |  |  |  |  |

| Morta | Aortality Rate (Per 100,000) - Sheboygan County |             |         |         |            |                                |  |  |  |  |  |
|-------|---|-------------|---------|---------|------------|--------------------------------|--|--|--|--|--|
|       |   | 2016        | 2017    | 2018    | State 2018 | Healthy<br>People 2020<br>goal |  |  |  |  |  |
|       | Total Deaths (all causes)                       | 1,165       | 1,096   | 1,151   | 53,680     |                                |  |  |  |  |  |
|       | Mortality Rate                                  | 1,011.0     | 950.8   | 1,005.1 | 928.6      |                                |  |  |  |  |  |
| Morta | ality Rate (Per 100,000) by Ra                  | ace/Ethnici | ty      |         |            |                                |  |  |  |  |  |
|       | White   | 1,079.6     | 1,019.5 | 1,072.5 | 979.3      |                                |  |  |  |  |  |
|       | Black   | 354.3       | 167.6   | 355.4   | 675.2      |                                |  |  |  |  |  |
|       | Hispanic  | 221.4       | 268.1   | 202.0   | 225.4      |                                |  |  |  |  |  |
|       | American Indian                                 |             |         |         | 657.6      |                                |  |  |  |  |  |
|       | Asian   | 260.5       | 270.4   | 336.9   | 230.6      |                                |  |  |  |  |  |
| Morta | ality Rate (Per 100,000) by Se                  | ex          |         |         |            |                                |  |  |  |  |  |
|       | Male  | 1,054.5     | 954.7   | 969.0   | 944.8      |                                |  |  |  |  |  |
|       | Female  | 966.9       | 946.8   | 1,041.9 | 912.4      |                                |  |  |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Mortality Module, https://www.dhs.wisconsin.gov/wish/mortality/broad-form.htm, accessed May 23, 2020.

| Years of Potental Life Lost per 100,000 population - Sheboygan County |   |  |  |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|--|--|
|   |   |  |  | Healthy<br>People  |  |  |  |  |  |
| 2016  | 2017  | 2018   | State 2018   | 2020 goal  |  |  |  |  |  |
| s 1,165   | 1,096   | 1,151  | 53,680   |  |  |  |  |  |  |
| 0 1,011.0   | 950.8   | 1,005.1  | 928.6  |  |  |  |  |  |  |
| r   |   |  |  |  |  |  |  |  |  |
| ) 7,154.3   | 5,683.7   | 5 <i>,</i> 853.8   | 6,648.2  |  |  |  |  |  |  |
| er 100,000 po   | opulation   |  |  |  |  |  |  |  |  |
| 7,254.7   | 6,070.1   | 5,848.1  | 6,279.8  |  |  |  |  |  |  |
| 8,453.6   | 2,294.0   | 8,491.8  | 11,618.8   |  |  |  |  |  |  |
| 5,554.8   | 5,533.1   | 3,166.8  | 4,140.1  |  |  |  |  |  |  |
| 2,899.5   | 4,317.1   | 1,539.1  | 10,502.0   |  |  |  |  |  |  |
| 5,511.8   | 1,667.9   | 5,184.1  | 3,318.4  |  |  |  |  |  |  |
| 0,000 popul   | ation   |  |  |  |  |  |  |  |  |
| 8,629.2   | 7,658.4   | 6,490.1  | 8,331.6  |  |  |  |  |  |  |
| 5,610.7   | 3,612.0   | 5,185.1  | 4,940.2  |  |  |  |  |  |  |
|   | 2016<br>s 1,165<br>1,011.0<br>r<br>) 7,154.3<br>r 100,000 pc<br>7,254.7<br>8,453.6<br>5,554.8<br>2,899.5<br>5,511.8<br>0,000 popul<br>8,629.2 | 2016         2017           s         1,165         1,096           0         1,011.0         950.8           r         -         -           )         7,154.3         5,683.7           r         -         -           )         7,154.3         5,683.7           r         -         -           7,254.7         6,070.1         8,453.6           2,899.5         4,317.1         5,554.8           5,551.8         1,667.9         -           0,000 population         8,629.2         7,658.4 | 2016         2017         2018           s         1,165         1,096         1,151           0         1,011.0         950.8         1,005.1           r         7,154.3         5,683.7         5,853.8           r         100,000 population         7,254.7         6,070.1         5,848.1           8,453.6         2,294.0         8,491.8         5,554.8         5,533.1         3,166.8           2,899.5         4,317.1         1,539.1         5,511.8         1,667.9         5,184.1           0,000 population         8,629.2         7,658.4         6,490.1         6,490.1 | 2016         2017         2018         State 2018           s         1,165         1,096         1,151         53,680           o         1,011.0         950.8         1,005.1         928.6           r |  |  |  |  |  |

\* Years of Potential Life Lost (YPLL): An estimate of premature mortality, defined as the number of years of life lost among persons who die before age 75. YPLL is the sum of the differences between age 75 and the age at death for everyone who died before age 75.

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Mortality Module, https://www.dhs.wisconsin.gov/wish/mortality/broad-form.htm, accessed May 25, 2020.

| Age Adjusted Mortality Rate (Per 10 | 00,000) - Sh | eboygan Co  | ounty |            |             |
|-------------------------------------|--------------|-------------|-------|------------|-------------|
|                                     |              |             |       |            | Healthy     |
|                                     |              |             |       |            | People 2020 |
|                                     | 2016         | 2017        | 2018  | State 2018 | goal        |
| Total Deaths (all causes)           | 1,165        | 1,096       | 1,151 | 53,680     |             |
| Age Adjusted Mortality Rate         | 754.7        | 689.7       | 725.3 | 727.0      |             |
| Age Adjusted Mortality Rate (Per 10 | 00,000) by I | Race/Ethnic | city  |            |             |
| White                               | 755.5        | 693.2       | 722.1 | 711.6      |             |
| Black                               | 941.8        | 561.7       | 767.3 | 1,019.3    |             |
| Hispanic                            | 451.4        | 571.2       | 499.6 | 505.1      |             |
| American Indian                     |              |             |       | 940.6      |             |
| Asian                               | 697.9        | 735.1       | 697.9 | 445.1      |             |
| Age Adjusted Mortality Rate (Per 10 | 00,000) by 9 | Sex         |       |            |             |
| Male                                | 933.0        | 832.2       | 821.7 | 854.2      |             |
| Female                              | 611.3        | 562.4       | 649.5 | 618.4      |             |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Mortality Module, https://www.dhs.wisconsin.gov/wish/mortality/broad-form.htm, accessed May 25, 2020.

| Average Age at Death - Sheboygan ( | County |      |      |            |                                |
|------------------------------------|--------|------|------|------------|--------------------------------|
|                                    | 2016   | 2017 | 2018 | State 2018 | Healthy<br>People 2020<br>goal |
| Average Age at Death               | 75.6   | 77.5 | 76.9 | 75.2       |                                |
| Average Age at Death by Race/Ethn  | icity  |      |      |            |                                |
| White                              | 76.1   | 77.6 | 77.4 | 76.3       |                                |
| Black                              | 51.3   | 61.4 | 53.4 | 60.8       |                                |
| Hispanic                           | 51.4   | 56.0 | 61.9 | 60.1       |                                |
| American Indian                    | 65.5   | 72.0 | 75.7 | 61.9       |                                |
| Asian                              | 59.4   | 75.0 | 65.0 | 65.1       |                                |
| Average Age at Death by Sex        |        |      |      |            |                                |
| Male                               | 72.9   | 73.5 | 74.7 | 71.9       |                                |
| Female                             | 78.6   | 81.6 | 79.0 | 78.6       |                                |
|                                    |        |      |      |            |                                |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Mortality Module,

https://www.dhs.wisconsin.gov/wish/mortality/broad-form.htm, accessed May 25, 2020.

| Num  | ber Injury Related Deaths - She | eboygan Co  | Junty | 1     | T          |                |
|------|---------------------------------|-------------|-------|-------|------------|----------------|
|      |                                 |             |       |       |            | Healthy People |
|      |                                 | 2016        | 2017  | 2018  | State 2018 | 2020 goal      |
|      | Total Deaths (all causes)       | 1,165       | 1,096 | 1,151 | 53,680     |                |
| 1    | Number Injury Related Deaths    | 88          | 95    | 81    | 4,948      |                |
| Numł | ber Injury Related Death by Ra  | ice/Ethnici | ty    |       |            |                |
|      | White                           | 83          | 92    | 78    | 4,368      |                |
|      | Black                           |             |       |       | 418        |                |
|      | Hispanic                        |             | 5     |       | 164        |                |
|      | American Indian                 |             |       |       | 69         |                |
|      | Asian                           |             |       |       | 44         |                |
| Num  | ber Injury Related Death by Se  | x           |       |       |            |                |
|      | Male                            | 55          | 63    | 44    | 3,096      |                |
|      | Female                          | 33          | 32    | 37    | 1,852      |                |

|                                 | ieboygan Co | ounty |       |            |                |
|---------------------------------|-------------|-------|-------|------------|----------------|
|                                 |             |       |       |            | Healthy People |
|                                 | 2016        | 2017  | 2018  | State 2018 | 2020 goal      |
| Injury Related Death Rate       | e 76.4      | 82.4  | 70.7  | 85.6       | 53.3           |
| njury Death Rate Per 100,000 by | Race/Ethnic | ity   |       |            |                |
| White                           | 78.9        | 87.7  | 75.1  | 85.7       |                |
| Black                           |             |       |       | 98.4       |                |
| Hispanic                        |             | 67.0  |       | 40.8       |                |
| American Indian                 |             |       |       | 91.5       |                |
| Asian                           |             |       |       | 23.5       |                |
| njury Death Rate Per 100,000 by | Sex         |       |       |            |                |
| Male                            | 94.8        | 108.4 | 76.1  | 107.7      |                |
| Female                          | 57.7        | 56.0  | 65.2  |            |                |
| njury Death Rate Per 100,000 by | Age Group   |       |       |            |                |
| Age 18-44                       | 84.9        | 82.1  | 57.6  | 75.1       |                |
| Age 45-64                       | 69.1        | 51.6  | 49.5  | 78.3       |                |
| 65+                             | 146.9       | 222.0 | 202.3 | 214.9      |                |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Injury-Related Health Outcomes Module, https://www.dhs.wisconsin.gov/wish/injury-mortality/icd10-form.htm, accessed May 25, 2020.

| Number of Suicides - Sheboygan County |                           |       |       |       |               |                             |  |  |  |
|---------------------------------------|---------------------------|-------|-------|-------|---------------|-----------------------------|--|--|--|
|                                       |                           | 2016  | 2017  | 2018  | State<br>2018 | Healthy People<br>2020 goal |  |  |  |
|                                       | Total Deaths (all causes) | 1,165 | 1,096 | 1,151 | 53,680        |                             |  |  |  |
|                                       | Number of Suicides        | 20    | 20    | 16    | 886           |                             |  |  |  |
|                                       |                           |       |       |       |               |                             |  |  |  |
|                                       | White                     | 18    | 20    | 15    | 827           |                             |  |  |  |
|                                       | Black                     |       |       |       | 31            |                             |  |  |  |
|                                       | Hispanic                  |       |       |       | 24            |                             |  |  |  |
|                                       | American Indian           |       |       |       | 13            |                             |  |  |  |
|                                       | Asian                     |       |       |       | 15            |                             |  |  |  |
| lur                                   | nber of Suicides by Sex   |       | •     | •     |               |                             |  |  |  |
|                                       | Male                      | 16    | 15    | 11    | 722           |                             |  |  |  |
|                                       | Female                    |       | 5     | 5     | 164           |                             |  |  |  |

|                                      |        |      |      | State | Healthy People |
|--------------------------------------|--------|------|------|-------|----------------|
|                                      | 2016   | 2017 | 2018 | 2018  | 2020 goal      |
| Suicide Rate                         | 17.4   | 17.4 | 14   | 15.3  | 10.2           |
| uicide Rate per 100,000 by Race/Ethr | nicity |      | •    | •     |                |
| White                                | 17.1   | 19.1 | 14.4 | 16.2  |                |
| Black                                |        |      |      | 7.3   |                |
| Hispanic                             |        |      |      | 6.0   |                |
| American Indian                      |        |      |      | 17.2  |                |
| Asian                                |        |      |      | 8.0   |                |
| uicide Rate per 100,000 by Sex       |        |      |      |       |                |
| Male                                 | 27.6   | 25.8 | 19.0 | 25.1  |                |
| Female                               |        | 8.8  | 8.8  | 5.6   |                |
| uicide Rate per 100,00 by Age Group  |        |      |      |       |                |
| Age 10-14                            |        |      | 13.4 | 3.0   |                |
| Age 15-17                            |        | 44.8 |      | 10.7  |                |
| Age 18-19                            |        | 34.2 | 33.2 | 13.1  |                |
| Age 20-24                            | 13.1   | 15.7 |      | 14.7  |                |
| Age 25-44                            | 14.7   | 29.4 | 14.7 | 21.1  |                |
| Age 45-64                            | 42.1   | 12.1 | 18.6 | 21.8  |                |
| Age 65-84                            |        | 17.3 | 22.4 | 14.3  |                |
| Age 85+                              |        | 34.4 |      | 7.8   |                |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Mortality Module, https://www.dbs.wisconsin.gov/wish/mortality/broad\_form\_htm\_accessed\_Mov.25\_2020

https://www.dhs.wisconsin.gov/wish/mortality/broad-form.htm, accessed May 25, 2020.

|  |   |   |   |   | HP 202                 |
|--|---|---|---|---|------------------------|
|  | 2016  | 2017  | 2018                                    | State 2018  | goal                   |
| Number of hospitalizations for all   |   |   |   |   |                        |
| injuries   | 533   | 511   | 496                                     | 27,521  |                        |
| mber Injury Hospitalizations by Ra   | ace/Ethnicity   |   | •                                       |   |                        |
| White  | 500   | 483   | 473                                     | 23,640  |                        |
| Black  | 9   | 8   | 6                                       | 2,230   |                        |
| Hispanic   | 19  | 8   | 18                                      | 966   |                        |
| American Indian  |   |   |   | 316   |                        |
| Asian  | 5   | 8   | 6                                       | 399   |                        |
| Unknown  | 17  | 11  | 10                                      | 927   |                        |
| mber Injury Hospitalizations by Se   | ex  |   |   |   |                        |
| Male   | 239   | 234   | 216                                     | 13,133  |                        |
|  |   |   |   |   |                        |
| Female   | 294<br>izations, All V  | 277<br>'isits - Sheboyga  | 280                                     | 14,388  | 1                      |
|  | -   |   |   | 14,388  | HP 20                  |
|  | -   |   |   | 14,388<br>State 2018  |                        |
|  | izations, All V   | 'isits - Sheboyga   | in Co.                                  |   |                        |
| e-Adjusted Rate of Injury Hospitali  | izations, All V<br>2016   | íisits - Sheboyga<br>2017   | an Co.<br>2018                          | State 2018  | goa                    |
| e-Adjusted Rate of Injury Hospitali<br>Total Injury Hospitalizations<br>Rate of Injury Hospitalizations  | izations, All V<br>2016<br>533<br>387.3   | <b>/isits - Sheboyga</b><br><b>2017</b><br>511<br>386.7                                 | <b>2018</b><br>496                      | State 2018<br>27,521  | goa                    |
| e-Adjusted Rate of Injury Hospitali<br>Total Injury Hospitalizations<br>Rate of Injury Hospitalizations  | izations, All V<br>2016<br>533<br>387.3   | <b>/isits - Sheboyga</b><br><b>2017</b><br>511<br>386.7                                 | <b>2018</b><br>496                      | State 2018<br>27,521  | goa                    |
| e-Adjusted Rate of Injury Hospitali<br>Total Injury Hospitalizations<br>Rate of Injury Hospitalizations<br>re-Adjusted Rate of Injury Hospitali  | izations, All V<br>2016<br>533<br>387.3<br>izations by Ra                                     | <b>2017</b><br>511<br>386.7<br>ace/Ethnicity  | <b>2018</b><br>496<br>363.6             | State 2018<br>27,521<br>417.5   | goa                    |
| <b>Total Injury Hospitalizations</b><br>Rate of Injury Hospitalizations<br>Rate <b>Of Injury Hospitalizations</b><br><b>Re-Adjusted Rate of Injury Hospitali</b>   | <b>izations, All V</b><br><b>2016</b><br>533<br>387.3<br><b>izations by Ra</b><br>379.4       | <b>2017</b><br>511<br>386.7<br><b>ace/Ethnicity</b><br>386.4                            | <b>2018</b> 496 363.6 367.2             | <b>State 2018</b><br>27,521<br>417.5<br>385.4   | goa                    |
| <b>Total Injury Hospitalizations</b><br>Rate of Injury Hospitalizations<br>Rate of Injury Hospitalizations<br><b>e-Adjusted Rate of Injury Hospitali</b><br>White<br>Black   | izations, All V<br>2016<br>533<br>387.3<br>izations by Ra<br>379.4<br>738.2                   | <b>2017</b><br>511<br>386.7<br><b>ace/Ethnicity</b><br>386.4<br>299.8                   | <b>2018</b> 496 363.6 367.2 365.1       | <b>State 2018</b><br>27,521<br>417.5<br>385.4<br>602.6  | goa                    |
| <b>Total Injury Hospitalizations</b><br>Rate of Injury Hospitalizations<br>Rate of Injury Hospitalizations<br><b>Bate of Injury Hospitalizations</b><br>White<br>Black<br>Hispanic                                 | izations, All V<br>2016<br>533<br>387.3<br>izations by Ra<br>379.4<br>738.2                   | <b>2017</b><br>511<br>386.7<br><b>ace/Ethnicity</b><br>386.4<br>299.8                   | <b>2018</b> 496 363.6 367.2 365.1       | <b>State 2018</b><br>27,521<br>417.5<br>385.4<br>602.6<br>333.4   | goa                    |
| <b>Total Injury Hospitalizations</b><br>Rate of Injury Hospitalizations<br>Rate of Injury Hospitalizations<br><b>e-Adjusted Rate of Injury Hospitali</b><br>White<br>Black<br>Hispanic<br>American Indian<br>Asian | izations, All V<br>2016<br>533<br>387.3<br>izations by Ra<br>379.4<br>738.2<br>366.7<br>122.7 | <b>2017</b><br>511<br>386.7<br><b>ace/Ethnicity</b><br>386.4<br>299.8<br>235.0<br>162.5 | <b>2018</b> 496 363.6 367.2 365.1 286.3 | State 2018           27,521           417.5           385.4           602.6           333.4           478.0 | goa                    |
| <b>Total Injury Hospitalizations</b><br>Rate of Injury Hospitalizations<br>Rate of Injury Hospitalizations<br><b>e-Adjusted Rate of Injury Hospitali</b><br>White<br>Black<br>Hispanic<br>American Indian          | izations, All V<br>2016<br>533<br>387.3<br>izations by Ra<br>379.4<br>738.2<br>366.7<br>122.7 | <b>2017</b><br>511<br>386.7<br><b>ace/Ethnicity</b><br>386.4<br>299.8<br>235.0<br>162.5 | <b>2018</b> 496 363.6 367.2 365.1 286.3 | State 2018           27,521           417.5           385.4           602.6           333.4           478.0 | HP 20<br>goa<br>5555.4 |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Injury-Related Health Outcomes Module, https://www.dhs.wisconsin.gov/wish/injury-hosp/query.htm, accessed May 25, 2020.

| Number of Opioid-Related Hosptial Encounters- Sheboygan County |             |           |        |        |                |  |  |  |
|--|-------------|-----------|--------|--------|----------------|--|--|--|
|  |             |           |        | State  | Healthy People |  |  |  |
|  | 2016        | 2017      | 2018   | 2018   | 2020 goal      |  |  |  |
| Total Opioid Hospital Discharges                               | 498         | 400       | 333    | 22,538 |                |  |  |  |
| Age-Adjusted Rate of Opioid                                    |             |           |        |        |                |  |  |  |
| Hospital Discharges  | 464.3       | 369.8     | 305.8  | 403.4  |                |  |  |  |
| Number Opioid-Related Hospital Di                              | scharges by | Race/Ethr | nicity |        |                |  |  |  |
| White  | 467         | 376       | 307    | 18,256 |                |  |  |  |
| Black  | 12          | 12        | 13     | 2,616  |                |  |  |  |
| Hispanic   | 31          | 31        | 21     | 1,619  |                |  |  |  |
| American Indian  |             |           |        | 734    |                |  |  |  |
| Asian  |             |           | 5      | 248    |                |  |  |  |
| Number Opioid-Related Hospital Di                              | scharges by | y Sex     |        |        |                |  |  |  |
| Male   | 211         | 195       | 165    | 11,461 |                |  |  |  |
| Female   | 287         | 205       | 168    | 11,077 |                |  |  |  |
| Number Opioid-Related Hospital Di                              | scharges by | Age Group | )      |        |                |  |  |  |
| Age 15-44  | 341         | 257       | 216    | 14,338 |                |  |  |  |
| Age 45-64  | 118         | 99        | 91     | 5,717  |                |  |  |  |
| Age 65+  | 36          | 39        | 24     | 2,370  |                |  |  |  |

| Rate of Opioid-Related Hosptial Encounters per 100,000 Population - Sheboygan County |             |              |             |               |                             |  |  |
|--|-------------|--------------|-------------|---------------|-----------------------------|--|--|
|  | 2016        | 2017         | 2018        | State<br>2018 | Healthy People<br>2020 goal |  |  |
| Rate of Opioid-related hosptial  |             |              |             |               |                             |  |  |
| discharges   | 432.2       | 347.0        | 290.8       | 389.9         |                             |  |  |
| Rate of Opioid-Related Hospital Dis  | charges Pei | r 100,000 by | y Race/Ethr | nicity        |                             |  |  |
| White  | 443.8       | 358.3        | 295.6       | 358.4         |                             |  |  |
| Black  | 425.1       | 402.3        | 420.1       | 615.8         |                             |  |  |
| Hispanic   | 429.0       | 415.6        | 282.8       | 402.7         |                             |  |  |
| American Indian  |             |              |             | 973.1         |                             |  |  |
| Asian  |             |              | 73.2        | 132.7         |                             |  |  |
| Rate of Opioid-Related Hospital Dis  | charges Pei | r 100,000 by | y Sex       |               |                             |  |  |
| Male   | 363.5       | 335.4        | 285.5       | 398.6         |                             |  |  |
| Female   | 501.8       | 358.8        | 296.2       | 381.2         |                             |  |  |
| Rate of Opioid-Related Hospital Dis  | charges Pe  | r 100,000 by | y Age Group | )             |                             |  |  |
| Age 15-44  | 830.7       | 627.0        | 531.0       | 651.0         |                             |  |  |
| Age 45-64  | 354.7       | 300.3        | 281.8       | 368.9         |                             |  |  |
| Age 65+  | 182.3       | 192.4        | 115.6       | 241.7         |                             |  |  |
|  |             |              |             |               |                             |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Opioid Module, http://dhs.wisconsin.gov/wish/, accessed May 25, 2020.

|     |  |            |            |             |           | Healthy   |
|-----|--|------------|------------|-------------|-----------|-----------|
|     |  |            |            |             | State     | People    |
|     |  | 2016       | 2017       | 2018        | 2018      | 2020 goal |
|     | Total Opioid Hospital Discharges           | 498        | 400        | 333         | 22,538    |           |
|     | Age-Adjusted Rate of Opioid Hospital       |            |            |             |           |           |
|     | Discharges                                 | 464.3      | 369.8      | 305.8       | 403.4     |           |
| Age | e-Adjusted Rate of Opioid-Related Hospital | Discharges | Per 100,00 | 0 by Race/I | Ethnicity |           |
|     | White                                      | 491.3      | 391.1      | 320.4       | 375.3     |           |
|     | Black                                      | 533.3      | 424.3      | 475.1       | 685.4     |           |
|     | Hispanic                                   | 438.6      | 443.6      | 291.5       | 445.3     |           |
|     | American Indian                            |            |            |             | 1,003.5   |           |
|     | Asian                                      |            |            | 99.1        | 136.8     |           |
| Age | -Adjusted Rate of Opioid-Related Hospital  | Discharges | Per 100,00 | 0 by Sex    |           |           |
|     | Male                                       | 377.2      | 352.3      | 289.7       | 412.1     |           |
|     | Female                                     | 558.6      | 387.1      | 323.2       | 393.9     |           |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, http://dhs.wisconsin.gov/wish/, Opioid-Related Hospital Encounters Module, accessed May 25, 2020.

| Number of Opioid Deaths- Sheboygan County |        |      |      |            |             |  |  |
|---|--------|------|------|------------|-------------|--|--|
|   |        |      |      |            | Healthy     |  |  |
|   |        |      |      |            | People 2020 |  |  |
|   | 2016   | 2017 | 2018 | State 2018 | goal        |  |  |
| Number of Opioid Deaths                   | 16     | 18   | 12   | 839        |             |  |  |
| Average Age at Death                      | 35.6   | 35.2 | 36.1 | 40.8       |             |  |  |
| Number Opioid Deaths by Race/Eth          | nicity |      |      |            |             |  |  |
| White                                     | 15     | 18   | 12   | 717        |             |  |  |
| Black                                     |        |      |      | 96         |             |  |  |
| Hispanic                                  |        |      |      | 37         |             |  |  |
| American Indian                           |        |      |      | 23         |             |  |  |
| Asian                                     |        |      |      |            |             |  |  |
| Number Opioid Deaths by Sex               |        |      |      |            |             |  |  |
| Male                                      | 10     | 15   | 11   | 558        |             |  |  |
| Female                                    | 6      |      |      | 281        |             |  |  |
| Number Opioid Deaths by Age Grou          | р      |      |      |            |             |  |  |
| Age 15-44                                 | 14     | 13   | 10   | 518        |             |  |  |
| Age 45-64                                 |        |      |      | 287        |             |  |  |
| Age 65+                                   |        |      |      | 32         |             |  |  |
|   |        |      |      |            |             |  |  |

| Opioid Mortality Rate per 100,000 Population - Sheboygan County |           |      |      |            |             |  |  |  |
|---|-----------|------|------|------------|-------------|--|--|--|
|   |           |      |      |            | Healthy     |  |  |  |
|   |           |      |      |            | People 2020 |  |  |  |
|   | 2016      | 2017 | 2018 | State 2018 | goal        |  |  |  |
| Mortality Rate  | 13.9      | 15.6 | 10.5 | 14.5       |             |  |  |  |
|   |           |      |      |            |             |  |  |  |
| White   | 14.3      | 17.2 | 11.6 | 14.1       |             |  |  |  |
| Black   |           |      |      | 22.6       |             |  |  |  |
| Hispanic  |           |      |      | 9.2        |             |  |  |  |
| American Indian   |           |      |      | 30.5       |             |  |  |  |
| Asian   |           |      |      |            |             |  |  |  |
| Opioid Mortality Rate Per 100,000 b                             | y Sex     |      | -    |            |             |  |  |  |
| Male  | 17.2      | 25.8 | 19.0 | 19.4       |             |  |  |  |
| Female  | 10.5      |      |      | 9.7        |             |  |  |  |
| Opioid Mortality Rate Per 100,000 b                             | y Age Gro | ир   |      |            |             |  |  |  |
| Age 15-44   | 34.1      | 31.7 | 24.6 | 23.5       |             |  |  |  |
| Age 45-64   |           |      |      | 18.5       |             |  |  |  |
| Age 65+   |           |      |      | 3.3        |             |  |  |  |
|   |           |      |      |            |             |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Opioid Module, https://www.dhs.wisconsin.gov/wish/opioid/mortality.htm, accessed May 25, 2020.

|     | Age-Adjusted Opioid Mortality Rate per 100,000 Population - Sheboygan County |            |             |      |       |           |  |  |
|-----|--|------------|-------------|------|-------|-----------|--|--|
|     |  |            |             |      |       | Healthy   |  |  |
|     |  |            |             |      | State | People    |  |  |
|     |  | 2016       | 2017        | 2018 | 2018  | 2020 goal |  |  |
|     | Number of Opioid Deaths  | 16         | 18          | 12   | 839   |           |  |  |
|     | Age-Adjusted Opioid Mortality Rate   | 17.0       | 17.1        | 12.0 | 15.3  |           |  |  |
| Age | -Adjusted Opioid Mortality Rate Per 100,                                     | 000 by Rac | e/Ethnicity |      |       |           |  |  |
|     | White  | 17.9       | 19.4        | 13.9 | 15.2  |           |  |  |
|     | Black  |            |             |      | 25.9  |           |  |  |
|     | Hispanic   |            |             |      | 10.1  |           |  |  |
|     | American Indian  |            |             |      | 32.0  |           |  |  |
|     | Asian  |            |             |      |       |           |  |  |
| Age | -Adjusted Opioid Mortality Rate Per 100,                                     | 000 by Sex |             |      |       |           |  |  |
|     | Male   | 20.8       | 27.3        | 21.2 | 20.1  |           |  |  |
|     | Female   | 13.0       |             |      | 10.3  |           |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Opioid Module,

http://dhs.wisconsin.gov/wish/, Drug Overdose Deaths Module, accessed May 25, 2020.

| Number ED Visits for Injuries, All Visits - Sheboygan County |       |       |       |            |         |  |  |
|--|-------|-------|-------|------------|---------|--|--|
|  |       |       |       |            | HP 2020 |  |  |
|  | 2016  | 2017  | 2018  | State 2018 | goal    |  |  |
| Total Number of ED Visits for                                |       |       |       |            |         |  |  |
| Injury, All types  | 7,686 | 7,493 | 7,207 | 413,034    |         |  |  |
| Number ED Visits for Injuries by Sex                         |       |       |       |            |         |  |  |
| Male   | 3,913 | 3,916 | 3,654 | 210,927    |         |  |  |
| Female   | 3,773 | 3,577 | 3,553 | 202,105    |         |  |  |
|  |       |       |       |            |         |  |  |

| Age-Adjusted Rate of ED Visits for Injury Per 100,000 Pop Sheboygan County |                |               |         |            |         |  |  |
|--|----------------|---------------|---------|------------|---------|--|--|
|  |                |               |         |            | HP 2020 |  |  |
|  | 2016           | 2017          | 2018    | State 2018 | goal    |  |  |
|  |                |               |         |            |         |  |  |
| Total Number of ED Visits for Injury                                       | 7,686          | 7,493         | 7,207   | 413,034    |         |  |  |
| Rate of ED Visits for Injury   | 6,968.7        | 6,751.3       | 6,530.2 | 7,251.1    | 7,533.4 |  |  |
| Age-Adjusted Rate of ED Visits for In                                      | jury Per 100,0 | 00 Pop. By Se | x       |            |         |  |  |
| Male   | 7,109.8        | 6,988.0       | 6,602.5 | 7,519.3    |         |  |  |
| Female   | 6,808.5        | 6,499.2       | 6,453.6 | 6,960.9    |         |  |  |
|  |                |               |         |            |         |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Injury-Related Health Outcomes Module, https://www.dhs.wisconsin.gov/wish/injury-ed/query.htm, accessed May 25, 2020.

| ed Causes of Emergency Department Visits for Injury, All visits - Sheboygan County |       |  |  |  |
|--|-------|--|--|--|
|  | 2018  |  |  |  |
| Visits for Injury by Cause   |       |  |  |  |
| Fall   | 2,182 |  |  |  |
| Struck by or against object or person  | 1,003 |  |  |  |
| Cutting or piercing objects  | 641   |  |  |  |
| Motor vehicle  | 471   |  |  |  |
| Overexertion   | 388   |  |  |  |
| Natural or environmental factors   | 348   |  |  |  |
| Poisoning  | 159   |  |  |  |
| Nontraffic transportation  | 135   |  |  |  |
| Fire, heat, chemical burns, hot object, scaldin                                    | ng 90 |  |  |  |
| Machinery  | 73    |  |  |  |
| Suffocation  | 10    |  |  |  |
| Firearm  |       |  |  |  |
| Drowning   |       |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, http://dhs.wisconsin.gov/wish/, Injury-Related Health Outcomes Module, accessed May 25, 2020.

| Sex Offense Rates per 100,000- Sheboygan County |        |       |        |            |  |  |  |
|---|--------|-------|--------|------------|--|--|--|
|   | 2017   | 2018  | 2019   | State 2019 |  |  |  |
| All Sex Offenses                                | 129.06 | 99.68 | 133.56 | 88.02      |  |  |  |
| Rape  | 40.71  | 23.40 | 30.35  | 27.91      |  |  |  |
| Sodomy/Oral Sex                                 | 16.46  | 9.53  | 19.08  | 7.85       |  |  |  |
| Sexual Assault with Object                      | 3.46   | 9.53  | 4.34   | 3.21       |  |  |  |
| Fondling  | 42.44  | 35.54 | 39.89  | 35.24      |  |  |  |
| Incest  |        |       |        | 0.34       |  |  |  |
| Statutory Rape                                  | 25.99  | 21.67 | 39.89  | 13.47      |  |  |  |
|   |        |       |        |            |  |  |  |

Wisconsin Department of Justice (2020). Wisconsin Uniform Crime Reporting, Sex Offense Data. Data accessed from https://www.doj.state.wi.us/dles/bjia/ucr-sex-offense-data on May 24, 2020.

| Child Abuse - Sheboygan County                            |      |            |  |  |  |  |
|---|------|------------|--|--|--|--|
|   | 2018 | State 2018 |  |  |  |  |
| Child Protective Service (CPS) Reports per 1,000 Children | 25.7 | 34.2       |  |  |  |  |
|   |      |            |  |  |  |  |

Data accessed from https://dcf.wisconsin.gov/files/cwportal/reports/pdf/can.pdf on May 27, 2020.

|        |                               |              |         |         |            | HP 2020 |
|--------|-------------------------------|--------------|---------|---------|------------|---------|
|        |                               | 2016         | 2017    | 2018    | State 2018 | goal    |
| S      | ۲D Incidence Rate per 100,000 | 385.0        | 445.0   | 475.0   | 642.0      |         |
| STI Ir | cidence Rate per 100,000 by R | Race/Ethnici | ty      |         |            |         |
|        | White                         | 301.0        | 346.0   | 372.0   | 305.0      |         |
|        | African American              | 3,609.0      | 5,021.0 | 4,969.0 | 3,868.0    |         |
|        | Hispanic                      | 1,205.0      | 1,484.0 | 1,309.0 | 1,005.0    |         |
|        | American Indian               | 362.0        |         | 362.0   | 810.0      |         |
|        | Asian/Pacific Islander        | 252.0        | 505.0   | 420.0   | 428.0      |         |
| STI Ir | cidence Rate per 100,000 by S | ex           |         |         |            |         |
|        | Male                          | 218.0        | 268.0   | 303.0   | 490.0      |         |
|        | Female                        | 555.0        | 626.0   | 651.0   | 789.0      |         |

Note: Information for STD Incidence includes data on chlamydia, gonorrhea, and syphilis, not all existing STDs.

Data accessed from https://www.dhs.wisconsin.gov/publications/p00415-2018.pdf,

https://www.dhs.wisconsin.gov/publications/p00415b-2018-Sheboygan.pdf

https://www.dhs.wisconsin.gov/publications/p00415b-2017-Sheboygan.pdf, and

https://www.dhs.wisconsin.gov/publications/p00415b-2016-Sheboygan.pdf on May 28, 2020.

| HIV Incidence per 100,000 - Sheboygan Count | ty        |      |       |         |
|---|-----------|------|-------|---------|
|   |           |      | State | HP 2020 |
|   | 2013-2017 | 2018 | 2018  | goal    |
| HIV Incidence Rate                          | 6.2       |      | 3.8   |         |
| HIV Incidence per 100,000 by Race/Ethnicity |           |      |       |         |
| White                                       | 3.2       |      | 1.5   |         |
| Black/African American                      |           |      | 25.7  |         |
| Hispanic                                    | 128.6     |      | 11.6  |         |
| American Indian                             |           |      |       |         |
| Asian/Pacific Islander                      |           |      | 5.3   |         |
| Multi-racial or unknown                     |           |      |       |         |
| HIV Incidence per 100,000 by Sex at Birth   |           |      |       |         |
| Male  | 12.3      |      | 6.6   |         |
| Female                                      |           |      | 1.0   |         |
|   |           |      | -     | -       |

Data from http://www.dhs.wisconsin.gov/aids-hiv/stats/map.htm,

https://www.dhs.wisconsin.gov/publications/p0/p00766.pdf, and

https://www.dhs.wisconsin.gov/publications/p0/p00766-Sheboygan.pdf accessed on May 28, 2020.

| Cancer Incide | nce Age-Adjusted Rate per 100,00 | 00 - Sheboygan C | ounty      |         |
|---------------|----------------------------------|------------------|------------|---------|
|               |                                  |                  |            | HP 2020 |
|               |                                  | 2012-2016        | State 2016 | goal    |
|               | Cancer Incidence Rate            | 473.4            | 458.6      |         |
| Cancer Incide | nce Age-Adjusted Rate per 100,00 | 00 by Race/Ethni | city       |         |
| W             | /hite                            |                  | 452.7      |         |
| A             | frican American                  |                  | 536.9      |         |
| Н             | ispanic                          |                  | 310.5      |         |
| А             | merican Indian/Alaska Native     |                  | 481.2      |         |
| A             | sian/Pacific Islander            |                  | 281.0      |         |
| Cancer Incide | nce Age-Adjusted Rate per 100,00 | 00 by Sex        |            |         |
| Ma            | le                               | 526.1            | 496.7      |         |
| Fei           | nale                             | 436.8            | 432.6      |         |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, http://dhs.wisconsin.gov/wish/. Cancer Module, accessed May 28, 2020.

| State<br>Male                           | 2016<br>Female                                 |  |  |  |
|---|--|--|--|--|
| Male                                    |  |  |  |  |
|   | 130.3  |  |  |  |
|   | 130.3  |  |  |  |
|   |  |  |  |  |
|   | 6.9  |  |  |  |
| 41.9                                    | 31.7   |  |  |  |
| 65.0                                    | 53.1   |  |  |  |
| 109.4                                   |  |  |  |  |
| Mortality Age-Adjusted Rate per 100,000 |  |  |  |  |
| State                                   | 2017   |  |  |  |
| Male                                    | Female   |  |  |  |
|   | 17.3   |  |  |  |
|   | 1.3  |  |  |  |
| 14.2                                    | 10.8   |  |  |  |
| 44.0                                    | 32.6   |  |  |  |
| 20.9                                    |  |  |  |  |
|   | 65.0<br>109.4<br>State<br>Male<br>14.2<br>44.0 |  |  |  |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, Cancer Module, http://dhs.wisconsin.gov/wish/, accessed May 28, 2020.

#### Sheboygan Co. - Secondary Data Report

| Cerebrovascular Disease - Sheboygan County               |      |            |  |  |  |
|--|------|------------|--|--|--|
|  | 2015 | State 2015 |  |  |  |
| Total Number of Deaths due to Cerebrovascular Disease    | 53   | 2,616      |  |  |  |
|  |      |            |  |  |  |
| Cerebrovascular Disease Death Rate per 100,000 Residents | 46.0 | 45.4       |  |  |  |
|  |      |            |  |  |  |

Data reported in 2017 using CY 2015 data, accessed from

https://www.dhs.wisconsin.gov/publications/p4/p45358-2017-Sheboygan.pdf and https://www.dhs.wisconsin.gov/publications/p4/p45358-2017.pdf on May 28, 2020.

|   |      |            | Healthy People |
|---|------|------------|----------------|
|   | 2016 | State 2016 | 2020 goal      |
| Age-adjusted percent of adults reporting they are heavy |      |            |                |
| drinkers  | 6.9% | 9.2%       |                |
| Age-adjusted percent of adults reporting they have ever |      |            |                |
| been tested for HIV                                     |      | 30.9%      |                |

Wisconsin Dept. of Health Services, Division of Public Health, Office of Health Informatics. Wisconsin Interactive Statistics on Health (WISH) data query system, http://dhs.wisconsin.gov/wish/, Behavioral Risk Factor Survey Module, accessed May 28, 2020.



### Sheboygan (SE) 2020 Rankings

## **County Demographics**

|  | County  | State     |
|--|---------|-----------|
| Population                               | 115,456 | 5,813,568 |
| % below 18 years of age                  | 22.0%   | 22.0%     |
| % 65 and older                           | 18.0%   | 17.0%     |
| % Non-Hispanic Black                     | 2.0%    | 6.4%      |
| % American Indian & Alaska Native        | 0.6%    | 1.2%      |
| % Asian                                  | 5.8%    | 3.0%      |
| % Native Hawaiian/Other Pacific Islander | 0.1%    | 0.1%      |
| % Hispanic                               | 6.5%    | 6.9%      |
| % Non-Hispanic White                     | 83.8%   | 81.1%     |
| % not proficient in English              | 1%      | 1%        |
| % Females                                | 49.7%   | 50.2%     |
| % Rural                                  | 28.3%   | 29.8%     |
| Male population 0-17 *                   | 12,886  | 650,432   |
| Male population 18-44 *                  | 19,015  | 1,006,779 |
| Male population 45-64 *                  | 16,443  | 770,787   |
| Male population 65+ *                    | 9,447   | 447,076   |
| Total male population *                  | 57,791  | 2,875,074 |
| Female population 0-17 *                 | 12,136  | 621,666   |
| Female population 18-44 *                | 17,421  | 971,846   |
| Female population 45-64 *                | 15,848  | 779,053   |
| Female population 65+ *                  | 11,319  | 533,412   |
| Total female population *                | 56,724  | 2,905,977 |
| Population growth *                      | -1%     | 2%        |

|  | Sheboygan<br>County   | Error<br>Margin   | Top U.S.<br>Performers ^                        | Wisconsin   | Rank (of 72) |    |
|--|---|---|---|---|--------------|----|
| Health Outcomes  |   |   |   |   |              | 19 |
| Length of Life   |   |   |   |   |              | 23 |
| Premature death  | 5,900   | 5,400-6,400   | 5,500   | 6,400   |              |    |
| Quality of Life  |   |   |   |   |              | 17 |
| Poor or fair health **<br>Poor physical health days **<br>Poor mental health days **<br>Low birthweight  | 12%<br>3.2<br>3.5<br>6%   | 12-13%<br>3.0-3.3<br>3.4-3.7<br>6-7%                            | 12%<br>3.1<br>3.4<br>6%                         | 17%<br>3.9<br>4.0<br>7%   |              |    |
| Additional Health Outcomes (not included in overall  | anking)   |   |   |   |              |    |
| Life expectancy<br>Premature age-adjusted mortality<br>Child mortality<br>Infant mortality<br>Frequent physical distress<br>Frequent mental distress<br>Diabetes prevalence<br>HIV prevalence<br>Communicable disease *<br>Cancer incidence *<br>Coronary heart disease hospitalizations * | 79.6<br>290<br>40<br>4<br>9%<br>11%<br>7%<br>70<br>831<br>473<br>3.3<br>2.2 | 79.1-80.1<br>270-300<br>30-50<br>3-5<br>9-9%<br>10-11%<br>5-10% | 81.1<br>270<br>40<br>4<br>9%<br>11%<br>7%<br>41 | 79.4<br>310<br>50<br>6<br>12%<br>12%<br>9%<br>125<br>923<br>467<br>2.9<br>2.6 |              |    |
| Health Factors   |   |   |   |   |              | 10 |
| Health Behaviors<br>Adult smoking **<br>Adult obesity<br>Food environment index<br>Physical inactivity<br>Access to exercise opportunities<br>Excessive drinking **<br>Alcohol-impaired driving deaths   | 15%<br>29%<br>9.0<br>23%<br>83%<br>27%<br>31%                               | 15-16%<br>25-34%<br>19-27%<br>26-28%<br>24-39%                  | 14%<br>26%<br>8.6<br>20%<br>91%<br>13%<br>11%   | 16%<br>31%<br>8.8<br>21%<br>85%<br>24%<br>36%                                 | 36           | 21 |

|   | Sheboygan Cou       | ınty, Wisconsin   Coun | ty Health Rankin | igs & Roadmaps   |    |
|---|---------------------|------------------------|------------------|------------------|----|
| Sexually transmitted infections                       | 326.0               |                        | 161.4            | 478.6            |    |
| Teen births   | 17                  | 15-19                  | 13               | 17               |    |
| Additional Health Behaviors (not included in overal   | 0.                  |                        |                  |                  |    |
| Food insecurity                                       | 8%                  |                        | 9%               | 10%              |    |
| Limited access to healthy foods                       | 2%                  |                        | 2%               | 5%               |    |
| Drug overdose deaths                                  | 17                  | 13-22                  | 10               | 19               |    |
| Motor vehicle crash deaths                            | 10                  | 8-12                   | 9                | 10               |    |
| Insufficient sleep                                    | 33%                 | 33-34%                 | 27%              | 32%              |    |
| Smoking during pregnancy *                            | 12%                 |                        |                  | 11%              |    |
| Opioid hospital visits *                              | 347                 | 313-381                |                  | 459              |    |
| Alcohol-related hospitalizations *                    | 2.6                 |                        |                  | 2.2              |    |
| Motor vehicle crash occupancy rate *                  | 44                  |                        |                  | 53               |    |
| On-road motor vehicle crash-related ER visits *       | 504                 | 480-527                |                  | 669              |    |
| Clinical Care   |                     |                        |                  |                  | 12 |
| Uninsured   | 6%                  | 5-7%                   | 6%               | 6%               | 12 |
|   | 0%<br>1,620:1       | J-1/0                  | 1,030:1          | 0%<br>1.270:1    |    |
| Primary care physicians<br>Dentists                   |                     |                        | 1,030:1          | ,                |    |
|   | 1,600:1             |                        | 1,240:1<br>290:1 | 1,460:1<br>490:1 |    |
| Mental health providers                               | 700:1               |                        | 2,761            |                  |    |
| Preventable hospital stays                            | 2,874<br>51%        |                        | 2,761<br>50%     | 3,940<br>50%     |    |
| Mammography screening<br>Flu vaccinations             |                     |                        |                  | 50%<br>52%       |    |
|   | 55%                 |                        | 53%              | 52%              |    |
| Additional Clinical Care (not included in overall ran |                     | ( 00)                  | 70/              | 70/              |    |
| Uninsured adults                                      | 7%                  | 6-8%                   | 7%               | 7%               |    |
| Uninsured children                                    | 4%                  | 3-5%                   | 3%               | 4%               |    |
| Other primary care providers                          | 1,166:1             |                        | 665:1            | 865:1            |    |
| Childhood immunizations *                             | 80%                 |                        |                  | 72%              |    |
| Social & Economic Factors                             |                     |                        |                  |                  | 12 |
| High school graduation                                | 94%                 |                        | 96%              | 89%              |    |
| Some college  | 65%                 | 62-68%                 | 73%              | 69%              |    |
| Unemployment  | 2.5%                |                        | 2.6%             | 3.0%             |    |
| Children in poverty                                   | 11%                 | 7-14%                  | 11%              | 14%              |    |
| Income inequality                                     | 3.8                 | 3.7-4.0                | 3.7              | 4.3              |    |
| Children in single-parent households                  | 27%                 | 23-30%                 | 20%              | 32%              |    |
| Social associations                                   | 15.3                |                        | 18.4             | 11.6             |    |
| Violent crime   | 159                 |                        | 63               | 298              |    |
| Injury deaths   | 73                  | 66-80                  | 58               | 80               |    |
| Additional Social & Economic Factors (not included    | in overall ranking) |                        |                  |                  |    |
| Disconnected youth                                    | 4%                  | 2-6%                   | 4%               | 5%               |    |
| Reading scores  | 3.0                 |                        | 3.4              | 3.0              |    |
| Math scores   | 3.1                 |                        | 3.4              | 3.0              |    |
| Median household income                               | \$61,900            | \$58,000-65,800        | \$69,000         | \$60,800         |    |
| Children eligible for free or reduced price lunch     | 34%                 |                        | 32%              | 37%              |    |
| Residential segregation - Black/White                 | 65                  |                        | 23               | 77               |    |
| Residential segregation - non-white/white             | 46                  |                        | 14               | 55               |    |
| Homicides   |                     |                        | 2                | 3                |    |
| Suicides  | 16                  | 12-19                  | 11               | 15               |    |
| Firearm fatalities                                    | 7                   | 5-10                   | 8                | 10               |    |
| Juvenile arrests                                      | 18                  |                        |                  |                  |    |
| Reading proficiency *                                 | 46%                 |                        |                  | 45%              |    |
| W-2 enrollment *                                      | 102                 |                        |                  | 7,505            |    |
| Poverty *   | 8%                  | 6-9%                   |                  | 11%              |    |
| Older adults living alone *                           | 29%                 |                        |                  | 29%              |    |
| Child abuse *   | 3                   |                        |                  | 4                |    |
| Injury Hospitalization Rate *                         | 364                 | 330-399                |                  | 421              |    |
| Self-inflicted injury hospitalizations *              | 44                  | 37-51                  |                  | 51               |    |
| Fall fatalities 65+ *                                 | 125                 | 97-153                 |                  | 143              |    |
| Physical Environment                                  |                     |                        |                  |                  | 36 |
| Air pollution - particulate matter **                 | 9.8                 |                        | 6.1              | 8.6              |    |
| Drinking water violations                             | No                  |                        |                  |                  |    |
| Severe housing problems                               | 11%                 | 10-13%                 | 9%               | 14%              |    |
| Driving alone to work                                 | 84%                 | 83-85%                 | 72%              | 81%              |    |
| Long commute - driving alone                          | 16%                 | 15-17%                 | 16%              | 27%              |    |
| Additional Physical Environment (not included in o    |                     |                        |                  |                  |    |
| Traffic volume  | 114                 |                        |                  | 304              |    |
| Homeownership   | 70%                 | 69-71%                 | 81%              | 67%              |    |
| Severe housing cost burden                            | 8%                  | 7-9%                   | 7%               | 12%              |    |
| Year structure built *                                | 34%                 |                        |                  | 25%              |    |
|   | 0170                |                        |                  | 2370             |    |

^ 10th/90th percentile, i.e., only 10% are better.

\* Data supplied on behalf of state

\*\* Data should not be compared with prior years